


8 1st Score: _____	2nd Score: _____	3rd Score: _____	_____. ____ Final Score
S & G _____	S & G _____	S & G _____	
Grader: _____	Grader: _____	Grader: _____	

PLACE LABEL BELOW

Name: _____ School: _____

SS/ID Number: _____ City: _____

Grade: 4 5 6 7 8 Classification: 1A 2A 3A 4A 5A 6A



TMSCA MIDDLE SCHOOL CALCULATOR WIGGS INV TEST © 2019

GENERAL DIRECTIONS

- I. About this test:
 - A. You will be given 30 minutes to take this test. There are 80 problems on this test.
 - B. ALL calculators must be cleared. HP Prime and Casio Prizm calculators are NOT permitted.**
- II. How to write the answers:
 - A. For all problems except stated problem as noted below write three significant digits.
 1. Examples (* means correct, but not recommended)
 Correct: 12.3, 123, 123.*, 1.23x10*, 1.23x10^{0*}, 1.23x10¹, 1.23x10⁰¹, .0190, 1.90x10⁻²
 Incorrect: 12.30, 123.0, 1.23(10)², 1.23·10², 1.230x10², 1.23*10², 0.19, 1.9x10⁻², 19.0x10⁻³, 1.90E-02
 2. Plus or minus one digit error in the third significant digit is permitted.
 - B. For stated problems:
 1. Except for integer, dollar sign, and significant digit problems, as detailed below, answers to stated problems should be written with three significant digits.
 2. Integer problems are indicated by (integer) in the answer blank. Integer problems answers must be exact, no plus or minus one digit, no decimal point or scientific notation.
 3. Dollar sign (\$) problems should be answered to the exact cent, but plus or minus one cent error is permitted. The decimal point and cents are required for exact dollar answers.
- III. Some symbols used on the test.
 - A. Angle measure: rad means radians; deg means degrees.
 - B. Inverse trigonometric functions: arcsin for inverse sine, etc.
 - C. Special numbers: π for 3.14159 . . . ; e for 2.71828.
 - D. Logarithms: Log means common (base 10); Ln means natural (base e).
- IV. Scoring:
 - A. All problems answered correctly are worth FIVE points. FOUR points will be deducted for all problems answered incorrectly or skipped before the last problem attempted.

2019-2020 TMSCA Middle School Calculator Wiggs INV Meet

1. $1180 - 1160$ ----- 1= _____

2. $7 + 40 - 29$ ----- 2= _____

3. $71 - 157 + 79$ ----- 3= _____

4. $45 + 30 - 14 - 38$ ----- 4= _____

5. $-372 + 564 - 255 - 508$ ----- 5= _____

6. $240 - 90.2 - 35.5 - 146 + 84.3$ ----- 6= _____

7. $(1.53 + 2.62 - 0.913) - (5.52 + 4.84)$ ----- 7= _____

8. $(-0.596 - \pi) + (0.762 - 0.877 - 1.95)$ ----- 8= _____

9. $369 \times 532 \times 74.8$ ----- 9= _____

10. $512 \times 1880 \times 140 \times 57.6$ ----- 10= _____

11. Calculate the arithmetic mean of the first ten composite numbers. 11= _____

12. Calculate the area of a right isosceles triangle with a leg length of 172.8 meters. ----- 12= _____ m²

13. Convert fourteen metric tons to kilograms. ----- 13= _____ kg

14. $(-96)[93 \times 65 \times 53]$ ----- 14= _____

15. $(183)[105 \times 204/166]$ ----- 15= _____

16. $\left[\frac{176}{242}\right] [(83/52) + 0.937]$ ----- 16= _____

17. $\{71/96\} \left[\frac{29}{70 + 106}\right]$ ----- 17= _____

18. $\frac{(109/237) + (240/90)}{(\pi - 8.26)}$ ----- 18= _____

19. $\frac{[0.00255/(0.0154)]/572}{(0.0494 \times 0.0565)(0.105)}$ ----- 19= _____

20. $\frac{471 + 2270 + 916}{(454)(0.0507)(0.127)}$ ----- 20= _____

21. $\frac{(\pi)(8/5)(5/9)}{53}$ ----- 21= _____

22. $\left[\frac{2980 + 1190}{1000 - 3580}\right] \left[\frac{3280}{570}\right]$ ----- 22= _____



23. $\frac{(\pi)(77/25)(98/107)}{(99/124)}$ ----- 23= _____

24. Brianna completed all the problems on her calculator test through number 72. She missed only one-ninth of those problems. Calculate her score. ----- 24= _____ INT.

25. Calculate the selling price of a \$12 item, if the store owner marks it up 42% before putting it on the shelf. ----- 25=\$ _____

26. The ratio of larvae to butterflies is 14 to 25. If there are a total of 336 larvae, calculate the number of butterflies. ----- 26= _____ INT.

27. $(3.5)[[11.9/(3.53)][0.0641/(0.0135)]]$ ----- 27= _____
28. $[339 - (1150 + 1040)] + [(7.35)(903 - 1130)]$ ----- 28= _____
29. $\frac{(4.65 \times 10^{12}) + (9.91 \times 10^{12})}{(-3.75)(1.18) - 2.68}$ ----- 29= _____
30. $\frac{1}{95.4} + \frac{1}{(\pi)(380 - 165)}$ ----- 30= _____
31. $\frac{(0.00758 + 0.00872)}{(1.84 \times 10^{11})}$ ----- 31= _____
32. $(0.175) \left[\frac{0.0552}{(1.24 \times 10^7)} \right]$ ----- 32= _____
33. $\left[\frac{1/634}{1/640} \right] + [0.838]$ ----- 33= _____
34. $1/(0.207 - 0.0626) - 1/(0.071)$ ----- 34= _____
35. A right isosceles triangle and a circle have the same area. The radius of the circle is 7.125 cm. Calculate the measure of a leg of the triangle. ----- 35= _____ cm
36. Owen creates a sequence $1/1, 1/3, 1/9, 1/27...$ Calculate the value of the 21st term. ----- 36= _____

<p style="text-align: center;">CIRCLE</p> <div style="display: flex; align-items: center; justify-content: center;">  <p style="text-align: left;">Diameter = 5.818</p> </div> <p style="text-align: right; margin-top: 20px;">Area = ?</p> <p style="margin-top: 20px;">37= _____</p>	<p style="text-align: center;">RECTANGLE</p> <div style="display: flex; align-items: center; justify-content: center; margin-bottom: 20px;">  <p style="text-align: left;">52.1</p> </div> <p style="text-align: right; margin-top: 20px;">Area = 666</p> <p style="text-align: center; margin-top: 20px;">Width = ?</p> <p style="margin-top: 20px;">38= _____</p>
---	--

39. $\left[\frac{1190}{220}\right](134 + 636)^2$ ----- 39= _____

40. $\left[\frac{388 + (1/(7.61 \times 10^{-4}))}{(1190/1270) - 0.693}\right]^2$ ----- 40= _____

41. $(2.77 + 1.47)^2(91.4 + 231)^2$ ----- 41= _____

42. $(1/\pi)\sqrt[4]{\frac{0.0363 + 0.0132}{1.85 - 0.291}}$ ----- 42= _____

43. $\sqrt{(1610/1210) + 0.652 - 0.219}$ ----- 43= _____



44. $\sqrt{26.4} + \sqrt{23.6 + 28.6} - (\pi)\sqrt{16.6}$ ----- 44= _____

45. $(7030)\sqrt[3]{193 + 195 - 53}$ ----- 45= _____

46. $[\sqrt{(770/1950)(607)}]^3$ ----- 46= _____

47. Calculate the amount of time it would take to double \$5000 at 5% simple interest. ----- 47= _____ yrs.

48. The interior angles of a rhombus are in the ratio of 4:9:4:9. Calculate the measure of one of the largest angles. ----- 48= _____°

RIGHT TRIANGLE	RIGHT TRIANGLE
 <p style="text-align: right; margin-top: 10px;">X = ?</p>	 <p style="text-align: right; margin-top: 10px;">X = ?</p>
49= _____	50= _____

51. $\frac{\sqrt{1.14 + \pi + 0.83}}{(0.957 - 0.321 + 0.867)^2}$ ----- 51= _____

52. $\left[\frac{13400 + 14400 + \sqrt{1.59 \times 10^8 + 1.59 \times 10^8}}{11500/21600} \right]^4$ ----- 52= _____

53. $\left[\frac{\sqrt{\sqrt{2.73 - 2.37}}}{-(21.2 - 22)} \right]^2 [1380 + 2660]$ ----- 53= _____

54. $\sqrt{\frac{(1.03 \times 10^5)(1.05 \times 10^5)}{(6780)(8430)}} - 12.8 + 1.64$ ----- 54= _____

55. $(18)^2 \sqrt{(119)/(661)} - (38.8 + 16.3)$ ----- 55= _____



56. $\sqrt{\frac{1/(10.5 - 1.92)}{(601)(52.1 + 31.5)^5}}$ ----- 56= _____

57. $(\text{rad}) \sin(185) + (233/58.2)$ ----- 57= _____

58. $(\text{deg}) \cos(336^\circ) + (1410/1050)$ ----- 58= _____

59. The product of a number and negative eight, increased by twenty-two is eighteen. Calculate the value of the number. ----- 59= _____

60. Calculate the probability of drawing the ten of diamonds from a standard deck of cards. ----- 60= _____

<p style="text-align: center;">EQUILATERAL TRIANGLE</p>  <p style="text-align: right;">Area = ?</p> <p>61= _____</p>	<p style="text-align: center;">CYLINDER</p>  <p style="text-align: right;">Total Surface Area = ?</p> <p>62= _____</p>
--	---

63. $\frac{25! - 27!}{26!}$ ----- 63= _____

64. $(291 - \pi)e^{0.181}$ ----- 64= _____

65. (deg) $(9.32 - 31)\tan(30.3^\circ)$ ----- 65= _____

66. (deg) $(6470 - 1640)\tan(0.813^\circ) + 29$ ----- 66= _____

67. (deg) $\tan(34^\circ - 60.6^\circ) + 0.265$ ----- 67= _____

68. (rad) $(3490)\cos(40.9)$ ----- 68= _____



69. (rad) $\tan[(0.461 - 1.11)(0.862)]$ ----- 69= _____

70. $(13 + 1.83 + 16.4)^{4/5}$ ----- 70= _____

71. Calculate the slope of the line that passes through the points (8, -3) and (-1, 5). ----- 71= _____

72. Calculate the discriminant of the following quadratic equation.

$9x^2 - 3x + 5 = 0$ ----- 72= _____

CIRCLE AND ELLIPSES	SCALENE TRIANGLE
	
<p>Small Ellipse Minor Axis = 5.08 Large Ellipse Major Axis = 25.4 Large Ellipse Minor Axis = 9.53</p> <p style="text-align: right;">Shaded Area = ?</p>	<p style="text-align: right;">Area = ?</p>
73= _____	74= _____

75. $\frac{\text{Log}(1.90 \times 10^8 + 2.85 \times 10^7)}{1.42}$ ----- 75= _____

76. $\frac{11.3 + \sqrt{(8.46)(24.9) + (2.55)(8.59)}}{\sqrt{\sqrt{0.0303 + 0.101}}}$ ----- 76= _____

77. $\text{Log}(2800 + 6470 + 1640)$ ----- 77= _____

78. $\text{Ln}\left[\frac{15.8 + 13.7 + 18.7}{74.3 - 37.7 - 24.6}\right]$ ----- 78= _____

79. $1 + 3 + 5 + \dots + 861$ ----- 79= _____

80. $1 + (0.289) + \frac{(0.289)^2}{2} + \frac{(0.289)^3}{6} + \frac{(0.289)^4}{24}$ ----- 80= _____

2019-2020 TMSCA Middle School Calculator Wiggs INV Meet Answer Key

Page 1	Page 2	Page 3	Page 4
1 = 20.0 = 2.00×10^1	14 = -3.08×10^7	27 = 56.0 = 5.60×10^1	39 = 3.21×10^6
2 = 18.0 = 1.80×10^1	15 = 23600 = 2.36×10^4	28 = -3520 = -3.52×10^3	40 = 4.87×10^7
3 = -7.00 = -7.00×10^0	16 = 1.84 = 1.84×10^0	29 = -2.05×10^{12}	41 = 1.87×10^6
4 = 23.0 = 2.30×10^1	17 = 0.122 = 1.22×10^{-1}	30 = 0.0120 = 1.20×10^{-2}	42 = 0.134 = 1.34×10^{-1}
5 = -571 = -5.71×10^2	18 = -0.611 = -6.11×10^{-1}	31 = 8.86×10^{-14}	43 = 1.33 = 1.33×10^0
6 = 52.6 = 5.26×10^1	19 = 0.988 = 9.88×10^{-1}	32 = 7.79×10^{-10}	44 = -0.437 = -4.37×10^{-1}
7 = -7.12 = -7.12×10^0	20 = 1250 = 1.25×10^3	33 = 1.85 = 1.85×10^0	45 = 48800 = 4.88×10^4
8 = -5.80 = -5.80×10^0	21 = 0.0527 = 5.27×10^{-2}	34 = -7.16 = -7.16×10^0	46 = 3710 = 3.71×10^3
9 = 1.47×10^7	22 = -9.30 = -9.30×10^0		
10 = 7.76×10^9	23 = 11.1 = 1.11×10^1	35 = 17.9 = 1.79×10^1	47 = 20.0 = 2.00×10^1
11 = 11.2 = 1.12×10^1	24 = 288 INT.	36 = 2.87×10^{-10}	48 = 125 = 1.25×10^2
12 = 14900 = 1.49×10^4	25 = \$17.04	37 = 26.6 = 2.66×10^1	49 = 14.9 = 1.49×10^1
13 = 14000 = 1.40×10^4	26 = 600 INT.	38 = 12.8 = 1.28×10^1	50 = 35.0 = 3.50×10^1

2019-2020 TMSCA Middle School Calculator Wiggs INV Meet

Page 5

$$\begin{aligned} 51 &= 1.00 \\ &= 1.00 \times 10^0 \\ 52 &= 5.40 \times 10^{19} \\ 53 &= 3790 \\ &= 3.79 \times 10^3 \\ 54 &= 2.60 \\ &= 2.60 \times 10^0 \\ 55 &= 82.4 \\ &= 8.24 \times 10^1 \\ 56 &= 2.18 \times 10^{-7} \\ 57 &= 4.35 \\ &= 4.35 \times 10^0 \\ 58 &= 2.26 \\ &= 2.26 \times 10^0 \\ 59 &= 0.500 \\ &= 5.00 \times 10^{-1} \\ 60 &= 0.0192 \\ &= 1.92 \times 10^{-2} \end{aligned}$$

Page 6

$$\begin{aligned} 61 &= 14.1 \\ &= 1.41 \times 10^1 \\ 62 &= 9990 \\ &= 9.99 \times 10^3 \\ 63 &= -27.0 \\ &= -2.70 \times 10^1 \\ 64 &= 345 \\ &= 3.45 \times 10^2 \\ 65 &= -12.7 \\ &= -1.27 \times 10^1 \\ 66 &= 97.5 \\ &= 9.75 \times 10^1 \\ 67 &= -0.236 \\ &= -2.36 \times 10^{-1} \\ 68 &= -3480 \\ &= -3.48 \times 10^3 \\ 69 &= -0.626 \\ &= -6.26 \times 10^{-1} \\ 70 &= 15.7 \\ &= 1.57 \times 10^1 \\ 71 &= -0.889 \\ &= -8.89 \times 10^{-1} \\ 72 &= -171 \\ &= -1.71 \times 10^2 \end{aligned}$$

Page 7

$$\begin{aligned} 73 &= 157 \\ &= 1.57 \times 10^2 \\ 74 &= 42.8 \\ &= 4.28 \times 10^1 \\ 75 &= 5.87 \\ &= 5.87 \times 10^0 \\ 76 &= 79.3 \\ &= 7.93 \times 10^1 \\ 77 &= 4.04 \\ &= 4.04 \times 10^0 \\ 78 &= 1.39 \\ &= 1.39 \times 10^0 \\ 79 &= 186000 \\ &= 1.86 \times 10^5 \\ 80 &= 1.34 \\ &= 1.34 \times 10^0 \end{aligned}$$

<p>11. $\frac{4+6+8+9+10+12+14+15+16+18}{10}$</p> <p>12. $\frac{172.8^2}{2}$</p> <p>13. A metric ton = 1000 kg 14 x 1000</p> <p>24. $72(5) - 9(8)$</p> <p>25. $12(1.42)$ Look at show key to get the exact cents.</p> <p>26. $\frac{14}{25} = \frac{336}{x}$ so $x = \frac{336(25)}{14}$</p> <p>INT</p> <p>35. $\pi r^2 = \pi(7.125)^2 = \text{area of circle} = \text{area of triangle} = \frac{x^2}{2}$ So leg = $x = \sqrt{\pi(7.125)^2(2)}$</p> <p>36. Each term is $3^{-(n-1)}$ First term = $3^{-(1-1)}$ Second term = $3^{-(2-1)}$ Third term = $3^{-(3-1)}$ 21st term = $3^{-(21-1)}$</p> <p>37. $\pi r^2 = \pi \left(\frac{5.818}{2}\right)^2$</p> <p>38. Width = $\frac{666}{52.1}$</p>	<p>47. Interest of 5000 would double the amount in the account. $I = PRT$ $5000 = 5000(.05)T$ $T = \frac{5000}{5000(.05)}$</p> <p>48. A rhombus has 360 degrees. $4x+9x+4x+9x = 360$. $26x = 360$. $X = \frac{360}{26}$. The largest angle is 9 times as big.</p> <p>49. $\sqrt{12.28^2 + 8.51^2}$</p> <p>50. $\frac{\cos(62)}{1} = \frac{16.41}{x}$ $x = \frac{16.41}{\cos(62)}$</p> <p>59. $-8n + 22 = 18$ $n = \frac{-4}{-8}$</p> <p>60. $\frac{1}{52}$</p> <p>61. $\frac{5.71^2\sqrt{3}}{4}$</p>	<p>62. $2\pi r^2 + 2\pi rh$ $= 2\pi(17)^2 + 2\pi(17)(76.5)$</p> <p>71. $\frac{5 - (-3)}{-1 - 8} = \frac{8}{-9}$</p> <p>72. $ax^2 + bx + c = 0$ Discriminant = $b^2 - 4ac = (-3)^2 - 4(9)(5)$</p> <p>73. Diameter of circle = minor axis of larger ellipse. Find area of large ellipse minus area of circle plus area of small ellipse. Large ellipse area = $\pi \left[\left(\frac{25.4}{2}\right)\left(\frac{9.53}{2}\right)\right]$ Area of circle = $\left(\frac{9.53}{2}\right)^2 \pi$ Area of small ellipse = $\pi \left[\left(\frac{5.08}{2}\right)\left(\frac{9.53}{2}\right)\right]$</p> <p>74. Area of scalene triangle when given the three sides = $\sqrt{s(s-a)(s-b)(s-c)}$ Where s is half of the perimeter and the three sides are a,b,c. $s = \frac{8 + 15 + 11}{2} = 17$ A = $\sqrt{17(17-8)(17-15)(17-11)}$</p>
--	--	---